

SEI 3000, SEI 3001, SEI 3002, SEI 3003

<u>Ullage</u>	<u>Cubic Yards</u>
14.5	0.00
14	162.14
13.5	324.28
13	486.42
12.5	648.56
12	810.69
11.5	972.83
11	1134.97
10.5	1297.11
10	1459.25
9.5	1621.39
9	1783.53
8.5	1945.67
8	2107.81
7.5	2269.94
7	2432.08
6.5	2594.22
6	2756.36
5.5	2918.50
5	3080.64
4.5	3242.78
4	3404.92
3.5	3567.06
3	3729.19
2.5	3891.33
2	4053.47
1.5	4215.61
1	4377.75
0	4702.03

<u>Freeboard</u>	<u>Tonnage</u>
0'-6"	4740
1'-0"	4529
1'-6"	4318
2'-0"	4106
2'-6"	3896
3'-0"	3685
3'-6"	3475
4'-0"	3265
4'-6"	3055
5'-0"	2847
5'-6"	2638
6'-0"	2430
6'-6"	2223
7'-0"	2016
7'-6"	1810
8'-0"	1605
8'-6"	1401
9'-0"	1197
9'-6"	995
10'-0"	793
10'-6"	585

Prior to Loading:

Port Bow	_____	Tons
Stbd Bow	_____	Tons
Port Stern	_____	Tons
Stbd Stern	_____	Tons
	_____	$\frac{\div}{4}$
Tonnage	_____	Tons

After Loading:

Port Bow	_____	Tons
Stbd Bow	_____	Tons
Port Stern	_____	Tons
Stbd Stern	_____	Tons
	_____	$\frac{\div}{4}$
Tonnage	_____	Tons

After Loading:

Port Bow	_____	Yds
Stbd Bow	_____	Yds
Port Stern	_____	Yds
Stbd Stern	_____	Yds
	_____	$\frac{\div}{4}$
Total Yds:	_____	Yds

<u>Total After Loading:</u>	_____	Tons
<u>Total Prior to Loading:</u>	_____	Tons
<u>Total Cargo Tonnage:</u>	_____	Tons

Ullage: Distance from Coaming to Material.

Freeboard: Distance from Deck Edge to water on flat of deck.